

F199.TXTDF 指令使用說明:


1. 參數 LN 可輸入 1~200 字元當文字定義說明用，目前存在下列幾種保留字


保留字	說明	備註
SECT:	程式單元註解指令	需位於程式單元第一個網路
FILENAME:NAME:	程式存檔名定義指令	需位於主程式區第一或第二個網路
FILEVER:001:	程式存檔版號定義指令	需位於主程式區第二或第三個網路
BLOCKS:NAME:	區塊圖起始網路指令	
PSW:???	區塊開啟需輸入密碼	需位於區塊圖內才有效
PSWC:***	區塊開啟需輸入密碼，密碼顯示為*	需位於區塊圖內才有效
PSW:CLOSE	此區塊無法進入開啟狀態	需位於區塊圖內才有效
LADEDIT:CLOSE	有區塊封鎖中，無法編輯	需位於區塊圖內才有效
LADCOPY:CLOSE	有區塊封鎖中，無法複製	需位於區塊圖內才有效
LADSAVE:CLOSE	有區塊封鎖中，無法存檔	需位於區塊圖內才有效
BLOCKDEL:CLOSE	此區塊封鎖中，無法刪除	需位於區塊圖內才有效
BLOCKEDITC:NAME	此區塊封鎖時，有區塊無法編輯	需位於區塊圖內才有效
BLOCKDSP:OPEN	開檔時，此區塊進入顯示狀態	需位於區塊圖內才有效
BLOCKE:	區塊圖結束網路指令	

2. 定義指令 F199.TXTDF BLOCKS: F199.TXTDF BLOCKE: 為區塊圖區間，符合此格式可


執行[匯出]-[區塊圖]及[匯入]-[區塊圖]/ [區塊封鎖]/[區塊開啟]等功能指令鍵。



3. 一執行[匯入]-[區塊圖]功能鍵或開檔時，定義完整之區塊圖會進入封鎖狀態，要執行區塊開啟時，需依據區塊圖內的保留字密碼規定運行。











N000		199.TXTDF SECT:MAINSECT1:
N001		199.TXTDF FILENAME:TEST1:
N002		199.TXTDF FILEVER:001:
N003	X0	
N004	CP	199.TXTDF BLOCKS:
N011	X1	
N012		199.TXTDF BLOCKS:ABCD
N013		199.TXTDF PSWC:****
N014		199.TXTDF BLOCKEDITC:DSP1:
N015		199.TXTDF BLOCKE:
N016	X2	
N017		199.TXTDF BLOCKS:DSP1
N018		199.TXTDF BLOCKDSP:OPEN
N019	X3	
N020		199.TXTDF BLOCKE:
N021	X4	




















N000		199.TXTDF SECT:MAINSECT1:
N001		199.TXTDF FILENAME:TEST1:
N002		199.TXTDF FILEVER:001:
N003	X0	
N004		199.TXTDF BLOCKS:
N005		199.TXTDF PSW:1234
N006		199.TXTDF LADEDIT:CLOSE
N007		199.TXTDF LADSAVE:CLOSE
N008		199.TXTDF LADCOPY:CLOSE
N009		199.TXTDF BLOCKDEL:CLOSE
N010		199.TXTDF BLOCKE:
N011	X1	
N012	CP	199.TXTDF BLOCKS:ABCD
N016	X2	
N017		199.TXTDF BLOCKS:DSP1
N018		199.TXTDF BLOCKDSP:OPEN
N019	X3	
N020		199.TXTDF BLOCKE:
N021	X4	



N000	199.TXTDF SECT:MAINSECT1:
N001	199.TXTDF FILENAME:TEST1:
N002	199.TXTDF FILEVER:001:
N003	X0
N004	199.TXTDF BLOCKS:
N005	199.TXTDF PSW:1234
N006	199.TXTDF LAEDIT:CLOSE
N007	199.TXTDF LADSAVE:CLOSE
N008	199.TXTDF LADCOPY:CLOSE
N009	199.TXTDF BLOCKDEL:CLOSE
N010	199.TXTDF BLOCKC:
N011	X1
N012	199.TXTDF BLOCKS:ABCD
N013	199.TXTDF PSWC:****
N014	199.TXTDF BLOCKEDITC:DSP1:
N015	199.TXTDF BLOCKC:
N016	X2
N017	199.TXTDF BLOCKS:DSP1
N018	199.TXTDF BLOCKDSP:OPEN
N019	X3
N020	199.TXTDF BLOCKC:
N021	X4

N000	199.TXTDF SECT:MAINSECT1:
N001	199.TXTDF FILENAME:TEST1:
N002	199.TXTDF FILEVER:001:
N003	X0
N004	199.TXTDF BLOCKS:
N005	199.TXTDF PSW:1234
N006	199.TXTDF LADEDIT:CLOSE
N007	199.TXTDF LADSAVE:CLOSE
N008	199.TXTDF LADCOPY:CLOSE
N009	199.TXTDF BLOCKDEL:CLOSE
N010	199.TXTDF BLOCKE:
N011	X1
N012	199.TXTDF BLOCKS:ABCD
N013	199.TXTDF PSWC:****
N014	199.TXTDF BLOCKEDITC:DSP1:
N015	199.TXTDF BLOCKE:
N016	X2
N017	199.TXTDF BLOCKS:DSP1
N018	199.TXTDF BLOCKDSP:OPEN
N019	X3
N020	編號輸入
N021	+ ↓ ☒ ➡ 🔍
N022	註解
N023	説明